

DECLARATION OF PERFORMANCE

DoP No 14516

1. Unique identification code of the product-type:

For product number please see attached list

Product-Type, batch or serial number or any other element allowing identification of the construction product

BT: Bathtub

BT+P: Bathtub with Panel

2. Intended use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

Personal hygiene (PH)

3. Name, registered trade name or registered trade mark and contact address of the manufacturer as required under Article 11(5):

LAUFEN Bathrooms AG

Wahlenstrasse 46

CH - 4242 Laufen, Switzerland

Tel: +41 61 765 71 11 / e-mail: info@laufen.ch / website: www.laufen.com

4. Where applicable, name and contact address of the authorised representative whose mandate covers the tasks specified in Article 12(2):

not applicable

5. System or systems of assessment and verification of constancy of performance (AVCP) of the construction product as set out in Construction Products Regulation (EU) 305/2011, Annex V:

System 4

6. Harmonised standard:

EN 14516: 2006 + A1: 2010

7. Declared performance

Essential characteristics	Performance
Cleanability (CA)	Confirmed
Durability (DA)	Confirmed

The declared performance of the product is shown in the essential characteristics and in the designation code of the attached list.

8. Appropriate Technical Documentation and/or Specific Technical Documentation:

not applicable

The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer



Marc Viardot

Director Marketing and Products

DECLARATION OF PERFORMANCE

DoP no 14516

Product No.	Name	Product type	Material	Designation code	Essential characteristics
H220347000001	Sonar	BT	Sentec	EN 14516 - CL1 + CL2	CA - DA
H220852000001	The New Classic	BT	Marbond	EN 14516 - CL1 + CL2	CA - DA
H220950###0401	laufen pro	BT	Steel	EN 14516 - CL1 + CL2	CA - DA
H220953###0401	laufen pro	BT	Steel	EN 14516 - CL1 + CL2	CA - DA
H221950###0401	laufen pro	BT	Steel	EN 14516 - CL1 + CL2	CA - DA
H221953###0401	laufen pro	BT	Steel	EN 14516 - CL1 + CL2	CA - DA
H2223320006161	Kartell by Laufen	BT + P	solid surface	EN 14516 - CL1 + CL2	CA - DA
H222500###0001	laufensolutions	BT	PMMA	EN 14516 - CL1 + CL2	CA - DA
H222501###0001	laufensolutions	BT	PMMA	EN 14516 - CL1 + CL2	CA - DA
H222505###0001	laufensolutions	BT + P	PMMA	EN 14516 - CL1 + CL2	CA - DA
H222506###0001	laufensolutions	BT + P	PMMA	EN 14516 - CL1 + CL2	CA - DA
H222510###0001	laufensolutions	BT	PMMA	EN 14516 - CL1 + CL2	CA - DA
H222511###0001	laufensolutions	BT	PMMA	EN 14516 - CL1 + CL2	CA - DA
H222512###0001	laufensolutions	BT + P	PMMA	EN 14516 - CL1 + CL2	CA - DA
H222950###0401	laufen pro	BT	Steel	EN 14516 - CL1 + CL2	CA - DA
H222953###0401	laufen pro	BT	Steel	EN 14516 - CL1 + CL2	CA - DA
H2233310006161	Kartell by Laufen	BT	solid surface	EN 14516 - CL1 + CL2	CA - DA
H2233320006161	Kartell by Laufen	BT + P	solid surface	EN 14516 - CL1 + CL2	CA - DA
H2233350006161	Kartell by Laufen	BT + P	solid surface	EN 14516 - CL1 + CL2	CA - DA
H223500###0001	laufensolutions	BT	PMMA	EN 14516 - CL1 + CL2	CA - DA
H223501###0001	laufensolutions	BT	PMMA	EN 14516 - CL1 + CL2	CA - DA
H223505###0001	laufensolutions	BT + P	PMMA	EN 14516 - CL1 + CL2	CA - DA
H223506###0001	laufensolutions	BT + P	PMMA	EN 14516 - CL1 + CL2	CA - DA
H223510###0001	laufensolutions	BT	PMMA	EN 14516 - CL1 + CL2	CA - DA
H223511###0001	laufensolutions	BT	PMMA	EN 14516 - CL1 + CL2	CA - DA
H223520###0001	laufensolutions	BT	PMMA	EN 14516 - CL1 + CL2	CA - DA
H223521###0001	laufensolutions	BT	PMMA	EN 14516 - CL1 + CL2	CA - DA
H223950###0401	laufenpro	BT	Steel	EN 14516 - CL1 + CL2	CA - DA
H223952###0401	laufenpro	BT	Steel	EN 14516 - CL1 + CL2	CA - DA
H223953###0401	laufenpro	BT	Steel	EN 14516 - CL1 + CL2	CA - DA
H2243310006161	Kartell by Laufen	BT	solid surface	EN 14516 - CL1 + CL2	CA - DA
H2243320006161	Kartell by Laufen	BT + P	solid surface	EN 14516 - CL1 + CL2	CA - DA
H2243360006161	Kartell by Laufen	BT + P	solid surface	EN 14516 - CL1 + CL2	CA - DA
H224500###0001	laufensolutions	BT	PMMA	EN 14516 - CL1 + CL2	CA - DA
H224501###0001	laufensolutions	BT	PMMA	EN 14516 - CL1 + CL2	CA - DA
H224505###0001	laufensolutions	BT + P	PMMA	EN 14516 - CL1 + CL2	CA - DA
H224506###0001	laufensolutions	BT + P	PMMA	EN 14516 - CL1 + CL2	CA - DA
H224510###0001	laufensolutions	BT	PMMA	EN 14516 - CL1 + CL2	CA - DA
H224511###0001	laufensolutions	BT	PMMA	EN 14516 - CL1 + CL2	CA - DA
H224512###0001	laufensolutions	BT	PMMA	EN 14516 - CL1 + CL2	CA - DA
H224950###0401	laufenpro	BT	Steel	EN 14516 - CL1 + CL2	CA - DA
H224952###0401	laufenpro	BT	Steel	EN 14516 - CL1 + CL2	CA - DA
H224953###0401	laufenpro	BT	Steel	EN 14516 - CL1 + CL2	CA - DA
H225060###0401	modernaplust	BT	Steel	EN 14516 - CL1 + CL2	CA - DA
H225060###0411	modernaplust	BT	Steel	EN 14516 - CL1 + CL2	CA - DA
H225070###0401	modernaplust	BT	Steel	EN 14516 - CL1 + CL2	CA - DA
H225070###0411	modernaplust	BT	Steel	EN 14516 - CL1 + CL2	CA - DA
H225080###0401	thalliumoval	BT	Steel	EN 14516 - CL1 + CL2	CA - DA
H225083###0001	thalliumoval	BT	Steel	EN 14516 - CL1 + CL2	CA - DA
H225083###0401	thalliumoval	BT	Steel	EN 14516 - CL1 + CL2	CA - DA
H225083###0411	thalliumoval	BT	Steel	EN 14516 - CL1 + CL2	CA - DA
H225090###0401	thallium	BT	Steel	EN 14516 - CL1 + CL2	CA - DA
H225093###0001	thallium	BT	Steel	EN 14516 - CL1 + CL2	CA - DA
H225093###0401	thallium	BT	Steel	EN 14516 - CL1 + CL2	CA - DA
H225100###0401	palladium	BT	Steel	EN 14516 - CL1 + CL2	CA - DA
H225100###0411	palladium	BT	Steel	EN 14516 - CL1 + CL2	CA - DA
H225103###0401	palladium	BT	Steel	EN 14516 - CL1 + CL2	CA - DA
H225110###0401	palladium	BT	Steel	EN 14516 - CL1 + CL2	CA - DA
H225110###0411	palladium	BT	Steel	EN 14516 - CL1 + CL2	CA - DA
H225112###0301	palladium	BT	Steel	EN 14516 - CL1 + CL2	CA - DA
H225112###0441	palladium	BT	Steel	EN 14516 - CL1 + CL2	CA - DA
H225113###0401	palladium	BT	Steel	EN 14516 - CL1 + CL2	CA - DA
H225120###0401	moderna plus	BT	Steel	EN 14516 - CL1 + CL2	CA - DA
H225130###0401	moderna plus	BT	Steel	EN 14516 - CL1 + CL2	CA - DA
H225130###0411	moderna plus	BT	Steel	EN 14516 - CL1 + CL2	CA - DA
H225132###0401	moderna plus	BT	Steel	EN 14516 - CL1 + CL2	CA - DA
H225133###0401	moderna plus	BT	Steel	EN 14516 - CL1 + CL2	CA - DA
H225510###0001	laufensolutions	BT	PMMA	EN 14516 - CL1 + CL2	CA - DA
H225511###0001	laufensolutions	BT	PMMA	EN 14516 - CL1 + CL2	CA - DA
H225512###0001	laufensolutions	BT	PMMA	EN 14516 - CL1 + CL2	CA - DA
H225520###0001	laufensolutions	BT	PMMA	EN 14516 - CL1 + CL2	CA - DA
H225521###0001	laufensolutions	BT	PMMA	EN 14516 - CL1 + CL2	CA - DA
H225950###0401	laufenpro	BT	Steel	EN 14516 - CL1 + CL2	CA - DA
H225952###0401	laufenpro	BT	Steel	EN 14516 - CL1 + CL2	CA - DA
H225953###0401	laufenpro	BT	Steel	EN 14516 - CL1 + CL2	CA - DA
H226332###0001	Kartell by Laufen	BT	solid surface	EN 14516 - CL1 + CL2	CA - DA
H226950###0401	laufenpro	BT	Steel	EN 14516 - CL1 + CL2	CA - DA
H226952###0401	laufenpro	BT	Steel	EN 14516 - CL1 + CL2	CA - DA
H227950###0401	laufenpro	BT	Steel	EN 14516 - CL1 + CL2	CA - DA
H227952###0401	laufenpro	BT	Steel	EN 14516 - CL1 + CL2	CA - DA
H230282000001	VAL	BT	solid surface	EN 14516 - CL1 + CL2	CA - DA
H230302000001	INO	BT	solid surface	EN 14516 - CL1 + CL2	CA - DA

Signed for and on behalf of the manufacturer



Marc Viardot

Director Marketing and Products

DECLARATION OF PERFORMANCE

DoP no 14516

Product No.	Name	Product type	Material	Designation code	Essential characteristics
H230950###0001	laufenpro	BT	PMMA	EN 14516 - CL1 + CL2	CA - DA
H230951###0001	laufenpro	BT	PMMA	EN 14516 - CL1 + CL2	CA - DA
H230955###0001	laufenpro	BT + P	PMMA	EN 14516 - CL1 + CL2	CA - DA
H230956###0001	laufenpro	BT + P	PMMA	EN 14516 - CL1 + CL2	CA - DA
H231282###0001	VAL	BT	solid surface	EN 14516 - CL1 + CL2	CA - DA
H2313020000001	INO	BT	solid surface	EN 14516 - CL1 + CL2	CA - DA
H231800###0001	PALOMBA COLLECTION	BT	PMMA	EN 14516 - CL1 + CL2	CA - DA
H231950###0001	laufenpro	BT	PMMA	EN 14516 - CL1 + CL2	CA - DA
H231951###0001	laufenpro	BT	PMMA	EN 14516 - CL1 + CL2	CA - DA
H231955###0001	laufenpro	BT + P	PMMA	EN 14516 - CL1 + CL2	CA - DA
H231956###0001	laufenpro	BT + P	PMMA	EN 14516 - CL1 + CL2	CA - DA
H232800###0001	PALOMBA COLLECTION	BT	PMMA	EN 14516 - CL1 + CL2	CA - DA
H232801###0001	PALOMBA COLLECTION	BT	PMMA	EN 14516 - CL1 + CL2	CA - DA
H232950###0001	laufenpro	BT	PMMA	EN 14516 - CL1 + CL2	CA - DA
H232951###0001	laufenpro	BT	PMMA	EN 14516 - CL1 + CL2	CA - DA
H232955###0001	laufenpro	BT + P	PMMA	EN 14516 - CL1 + CL2	CA - DA
H232956###0001	laufenpro	BT + P	PMMA	EN 14516 - CL1 + CL2	CA - DA
H233950###0001	laufenpro	BT	PMMA	EN 14516 - CL1 + CL2	CA - DA
H233951###0001	laufenpro	BT	PMMA	EN 14516 - CL1 + CL2	CA - DA
H233955###0001	laufenpro	BT + P	PMMA	EN 14516 - CL1 + CL2	CA - DA
H233956###0001	laufenpro	BT + P	PMMA	EN 14516 - CL1 + CL2	CA - DA
H234950###0001	laufenpro	BT	PMMA	EN 14516 - CL1 + CL2	CA - DA
H234951###0001	laufenpro	BT	PMMA	EN 14516 - CL1 + CL2	CA - DA
H234955###0001	laufenpro	BT + P	PMMA	EN 14516 - CL1 + CL2	CA - DA
H234956###0001	laufenpro	BT + P	PMMA	EN 14516 - CL1 + CL2	CA - DA
H2359500000001	laufenpro	BT	PMMA	EN 14516 - CL1 + CL2	CA - DA
H2369500000001	laufenpro	BT	PMMA	EN 14516 - CL1 + CL2	CA - DA
H2379500000001	laufenpro	BT	PMMA	EN 14516 - CL1 + CL2	CA - DA
H2389500000001	laufenpro	BT	PMMA	EN 14516 - CL1 + CL2	CA - DA
H2399520000001	laufenpro	BT	Marbond	EN 14516 - CL1 + CL2	CA - DA
H2409500000001	laufenpro	BT	Marbond	EN 14516 - CL1 + CL2	CA - DA
H2419500000001	laufenpro	BT	Marbond	EN 14516 - CL1 + CL2	CA - DA
H241970###0001	ILBAGNOALESSI One	BT	PMMA	EN 14516 - CL1 + CL2	CA - DA
H242500###0001	laufensolutions	BT	PMMA	EN 14516 - CL1 + CL2	CA - DA
H242501###0001	laufensolutions	BT	PMMA	EN 14516 - CL1 + CL2	CA - DA
H242507###0001	laufensolutions	BT + P	PMMA	EN 14516 - CL1 + CL2	CA - DA
H242800###0001	PALOMBA COLLECTION	BT	PMMA	EN 14516 - CL1 + CL2	CA - DA
H242801###0001	PALOMBA COLLECTION	BT	PMMA	EN 14516 - CL1 + CL2	CA - DA
H2429500000001	laufenpro	BT	Marbond	EN 14516 - CL1 + CL2	CA - DA
H243800###0001	PALOMBA COLLECTION	BT	PMMA	EN 14516 - CL1 + CL2	CA - DA
H243801###0001	PALOMBA COLLECTION	BT	PMMA	EN 14516 - CL1 + CL2	CA - DA
H2439520000001	laufenpro	BT	Marbond	EN 14516 - CL1 + CL2	CA - DA
H243970###0001	ILBAGNOALESSI One	BT	PMMA	EN 14516 - CL1 + CL2	CA - DA
H2458020000001	PALOMBA COLLECTION	BT + P	solid surface	EN 14516 - CL1 + CL2	CA - DA
H2458020006051	PALOMBA COLLECTION	BT + P	solid surface	EN 14516 - CL1 + CL2	CA - DA
H245971###0001	ILBAGNOALESSI One	BT	solid surface	EN 14516 - CL1 + CL2	CA - DA
H245971###6051	ILBAGNOALESSI One	BT	solid surface	EN 14516 - CL1 + CL2	CA - DA
H245972###0001	ILBAGNOALESSI One	BT+P	solid surface	EN 14516 - CL1 + CL2	CA - DA
H245972###6051	ILBAGNOALESSI One	BT+P	solid surface	EN 14516 - CL1 + CL2	CA - DA

Signed for and on behalf of the manufacturer



Marc Viardot

Director Marketing and Products